

# SUMOLIGHT

PRODUCT GUIDE  
2022 EDITION



Investing in LED fixtures brings immediate benefits in terms of savings  
 Dramatically reduced power consumption  
 50,000+ hours LED engine life vs 150 hours of a traditional halogen lamp  
 No external dimmers required  
 Virtually no maintenance required



## ABOUT

# SUMOLIGHT

**A German based manufacturer of lighting systems for professional film and TV-productions.**

Founded in 2011 by gaffers and photographers. Their experience on set is the DNA of all SUMOLIGHT products. The first bicolor light was the compact SUMO100 with its interchangeable lenses and the efficient lightweight, completely passive cooling. The innovative and versatile light shaping tools like the foldable Soft Box set a new standard for the industry. It's successor the SUMOSPACE won the Cine Gear Expo Technical Award for best Lighting Technology and is considered by many as the standard in LED space lighting. In 2019 a unique mounting system for the SUMOSPACE, the SUMOSNAP™ was developed, expanding the SUMOSPACE to a true modular lighting system.

## CONTENT

- SUMOLIGHT New Releases. . . . . 4
- SUMOSPACE+ System . . . . . 12
- SUMOSPACE+ Light Kits . . . . . 14
- SUMOSPACE Optics. . . . . 16
- SUMOSPACE Cases. . . . . 17
- SUMOSPACE Light Shaping Tools . . . . . 18
- SUMOSPACE Mounts . . . . . 24
- SUMOSPACE Electrical Accessories . . . . . 30

SUMOLASER  
NEW PRODUCT

# SUMOLASER. IT'S A WORLD FIRST.

IT REVOLUTIONIZES THE STUDIO AND  
BROADCASTING LIGHTING.  
WITH LASERS.

UNBEATABLE BRIGHTNESS.

MASSIVE REACH.

EXTREME NARROW BEAM.

NO DIFFUSION. NO FALLOFF.

IT'LL LIGHT UP THE WORLD.



SUMOLIGHT

## SPECIFICATIONS

### WHITE LIGHT

COLOR TEMP:  
**6000 K**

ILLUMINANCE:  
**150 000 LX / 45700 FC**  
@ **100m / 328ft**



BEAM ANGLE:  
**3°**

POWER CONSUMPTION:  
**175W**


SIZE (HxWxL):  
**480x290x320mm**  
**18.9x11.42x12.6"**

WEIGHT:  
**4.9kg / 10.8lbs**

FRONT DIAMETER MODULE:  
**194mm / 7.65"**



DIVIDE



COMBINE



# SUMOMAX

## EXPAND IN ANY DIRECTION

700W POWER

LIGHTWEIGHT & SILENT

19 PIXEL – VFX READY

1900FC/ 20500LX  
@ 3M/9.8' ILLUMINANCE

INTERCHANGEABLE BEAM ANGLE  
WITH 20° NATIVE BEAM ANGLE

RGBWW LEDS



The high-output, SUMOMAX LED light offers a distinctive hexagonal design, high lumen output and modular form factor. Designed for versatility, it can perform as a keylight, hardlight, punchlight, spacelight, or softlight.

### POWERFUL, FULL SPECTRUM RGBWW

A more powerful extension to the SUMOSPACE+ line, the Sumolight engineering team built upon their previous success to create the 1800-15,000K, 700W full-spectrum (RGBWW) SUMOMAX. Its streamlined, hexagonal profile measures 561 x 500 x 175mm/22.1 x 19.7 x 6.9 inches. When it comes to transport, a flat silhouette makes packing and shipping even more convenient.

### MODULAR DESIGN

SUMOMAX's modular design offers considerable advantages when it comes to building light boxes, light walls or other arrays. Fixtures can be arranged honeycomb-style to create unique patterns or shapes to suit the job. For enhanced lighting creativity cells within the structure can be controlled as a group or individually.

### CONNECT FOR UNLIMITED SIZE ARRAYS

The unique SUMOSNAP™ one-click quick-release connecting system effectively allows multiple fixtures to safely and easily combine into powerful unlimited size arrays. It provides a secure screw-free interface to truss systems, standard junior pins and other grip hardware. A built-in 16mm spigot eases mounting.


### VERSATILE OUTPUT

Thanks to its "swoptic" module interchangeable optics, beams may be enhanced and directed from narrow 20° native up to super wide 120° via the clip-on optics. Intensity is fully-dimmable 100% to zero. Built-in effects include 0-30Hz Shutter/Strobe and automated programs. For added illumination control, SUMOSPACE works with an array of light shaping tools that transform it from a spacelight to softlight to a high intensity fixture.


### FLEXIBLE CONTROL DMX/RDM, ETHERNET, WIFI

Each fixture comes complete with internal power supply, on-fixture touch display panel and DMX/RDM, ethernet, WiFi control ability. Its reliable design and build offers silent passive cooling. Safe for indoor or outdoor use, SUMOMAX is IP65 rated for maximum safety compliancy regardless of conditions. SUMOMAX is designed and engineered to seamlessly integrate with the existing SUMOLIGHT family.


SUMOMAX  
NEW PRODUCT



SUMOMAX SUPER THREE



SUMOMAX SUPER SEVEN



SUMOSKY  
NEW PRODUCT

# SUMOSKY


As shoots become faster-moving and more fluid with the huge advances in VFX, lighting and camera, there's a new opportunity to create subtler, more reactive backdrops.



## QUICK EXPANDABLE LED-WALL FOR SMART VFX INTEGRATION


EASY TO USE PIXEL MAPPING • R G B W W • IP-PROTECTED  
NO BANDING • SMOOTH BACKGROUND FOR KEYING

FOR RENT ONLY AT THE MOMENT.



## FOR SUPERIOR QUALITY & COLOR TUNEABLE BACKDROP SOLUTIONS, FAST, EASY SET-UP & CONTROL.

THE SUMO SKY SAVES  
80% RIGGING TIME &  
25% STUDIO SPACE



### SUPERB LIGHT QUALITY

CRI 95 white light for superior spectrum

Full spectrum effective 16 bit per channel, 80 bit per pixel

Flicker free

HDRI long latitude / light probe (Lichtkugel)

Perfectly homogenous lit surface

No banding – Smooth background for keying

Flexible – Easy changes in post of the scenery.

No green/blue keying necessary for keying,  
saves time in Post (30% - 100%)

\*Instant\* dimmable green or blue screen still possible

### ADVANTAGES OVER LED-DISPLAYS

Flexibility in Shoot and Post. Only need color and light with rough spacing. Faster keying of details through soft background. Shooting with multiple cameras possible.

### SUPER EFFICIENT HANDLING

Quick installation - Saves rigging time and set-up cost  
Slim profile minimal use of studio space and set-up costs  
Self-retracting function

### PIXEL MAPPING

Intuitive control via image and video sources  
Resolution up to 10 cm pitch [20x38 pixel per fixture]  
Full spectrum effective 16 bit per channel, 80 bit per pixel

### SPECIFICATIONS

30m<sup>2</sup> per fixture (2m x 15m)

Easily stackable to more than 100 m lengths

Up to 2290 Lux **EVENLY ACROSS 30M<sup>2</sup> SURFACE**

Distance LED-bars to screen 40 to 80 cm.\*

External control via Art-Net or  
SUMOSKY Control Software



\* Depending on the vertical pixel pitch and the used back projection foil. We suggest to determine the optimum distance for each project through a test.

### INTUITIVE & SIMPLE CONTROLLING

Pixel Mapping

Pre-set functions and full custom control

Easy user interface

Lap-top or light-desk control

Paint control mode

Image or video as data source possible

Video control via hardware option

Video preset playlist

Moving lights

Dimming to zero


Flash and strobing

Auto-addressing of all light bars




# SUMOSKY


NEW PRODUCT



The sumosky interactive lighting system in horizontal and single bar versions is now available. The system is highly customizable with different pitch sizes between the led-bars and adaptable to many geometries. A support structure is needed to mount the led-bars. E.G. The readily available theatre track systems that enables easy and fast rigging and derigging.



06-01-00-05



## SUMOSKY Interactive Lighting System

SUMOSKY Interactive Lighting System; Expandable LED Wall with greatly reduced rigging time compared to other solutions. Smart VFX integration.


System is highly customizable. For vertical and horizontal use. Four out put versions available with different count of LED-Bars per unit. 10, 20 and 40cm pitch between LED-Bars available to optimize brightness and resolution requirements.

Pixel Mapping; RGBWW; 16 bit color; Smooth background for keying. Up to 15 m / 40 ft height and more than 100 m/ 300 ft wide. Case Dimensions 215 x 80 x 100 cm (LxWxH). For rent and Long Term Lease only.

	Bar	Box / Unit	System
<b>Dimension</b>	200 x 3,0 x 4,7 cm	215 x 80 x 100 cm	up to 15 m height
<b>Weight</b>	3 kg	150 kg	
SUMOSKY N040 Interactive Lighting System; 40 cm pitch			<b>06-01-00-04</b>
SUMOSKY M020 Interactive Lighting System; 20 cm pitch			<b>06-01-00-02</b>
SUMOSKY H010 Interactive Lighting System; 10 cm pitch			<b>06-01-00-01</b>
SUMOSKY Horizontal Version. Interactive Lighting System			<b>06-01-00-05</b>


# SUMOSPACE+ SUPER7 MOTORIZED

NEW PRODUCT



## MOTOR ARM FOR SUPER 7

YIP MAN



# SUMOSPACE+

BRIGHTER LIGHTER BETTER

**Internal power supply. No external ballast required. Entirely passive cooled silent operation. No moving parts. Increased output and new built in SUMOSNAP™ Quick Release Mount.**

SUMOSPACE+ is the latest evolution in the SUMOLIGHT family. Built on our years of experience, incorporating innovation and user feedback. We developed a new wave of high-quality LED Bi-Color fixtures that set a new standard for the industry. Our versatile SUMOSPACE+ is compact, brighter and lighter than most fixtures on the market. We have designed a durable fixture simulating the same output of a 6k spacelight together with the power consumption of a LED-light.

SUMOSPACE+ is passively cooled, comprising of vibrant color rendition that needs no adjustment or filtering. It delivers enhanced beam fields from the

ingenious interchangeable optic system adjusting to four different beam angles. SUMOSPACE+ works harmoniously with our array of light shaping tools and lenses, transforming the fixture from a spacelight to a soft light to a high density light that also works from a long distance.

We invite you to re-imagine with us the concept of studio overhead and soft lighting. With the ability to dial the intensity anywhere from 0-100% and the color temperature from 2800 to 6500 K it allows you to remain flexible regardless of complexion or depth – a perfect complement to modern light-sensitive cameras.

**SUMOLIGHT**

## SUMOSPACE+ LIGHTING SYSTEM

**OPTICS**

60°

30°

20°

**STORE & STACK**

**RIG**

SUPER 3

SUPER 7

**BATTERIES**

**STANDARD BABY PIN & CUSTOM RETROFIT**

**INTERFACE FOR MOST DEVICES**

**ONE CLICK QUICK RELEASE**

**TÜV**

**TÜV CERTIFIED**

**WLL 150 kg (330 lbs) SF 10:1**

**HOLDS DEVICE UP TO 150 KG**

**MOUNTING**

**LIGHT SHAPING**

Space Light with Skirt

Reflector

Pancake Lantern

Soft Grid

SUMOCLAMP

SUMOSNAP™

SUMOPIN

SUMOSPACE Yoke

**AWARD WINNER CINEGEAR 2015 Technical Award**

# KITS

## KEYFEATURES

**Internal Power Supply**

Increased Powerful Output up to 16.000 Lux [1486 fc] at 3 m [10 ft]; 20° Lens

Ultra High Color Rendition TLCI 99, CRI 95

Bi-Color, Smooth & Accurate Color Adjustment 2.800-6.500 K

0-100% Dimming Range

DMX/RDM, Ethernet/Wifi

500 W Power Consumption

**Flicker Free at all Frame Rates**

120° Fixture Beam Angle

Interchangeable Lens slots for: 20°, 30° and 60° Beam Angles

Passive Cooled, No Fans or Moving Parts

A variety of Light Shaping tools and mounting options available.

Quick Release mount for 16mm Spigot built in.

Hangers for suspending the light from above included.




### Space Kit

SUMOSPACE+ fixture, plus all the light shaping tools for use as space light or soft light.

Lenses for adjusting the beam angle and additional mounting options for multiple light setups are available as optional accessories.

**Included in the Kit:**

- 1x SUMOSPACE+ Bi-Color Fixture
- 1x Power Cord 7,5m
- 1x SUMOPin
- 1x Reflector
- 1x Target
- 1x Skirt Short
- 1x Light Shaping Tools Bag



### Basic Kit

The Basic Kit includes all that is necessary to get started:

- 1x SUMOSPACE+ Bi-Color Fixture (2.800-6.500 K)
- 1x Power Cord 7,5m
- 1x Hangers

**Fixture dimensions** 56 x 56 x 10 cm  
**Weight** 6 Kg

BASIC Kit 01-01-00-00



### Stand Kit

SUMOSPACE+ fixture, plus Yoke Mount and two different sets of Lenses.

Additional mounting options for multiple light setups and light shaping tools are available as optional accessories.

**Included in the Kit:**

- 1x SUMOSPACE+ Bi-Color Fixture (2.800-6.500 K)
- 1x Power Cord 7,5m
- 1x 30° Lens Set
- 1x 60° Lens Set
- 1x Yoke Mount

SUMOSPACE+ STAND Kit 01-07-01-01



### One Complete Kit

SUMOSPACE+ complete Kit in Softcase gives you all the flexibility to use the light on stand with different beam angles or as a soft light and space light.

**Included in the Kit:**

- 1x SUMOSPACE+ Bi-Color Fixture
- 1x Power Cord 7,5m
- 1x 20° Lens Set
- 1x 30° Lens Set
- 1x 60° Lens Set
- 1x Yoke Mount
- 1x SUMOPin
- 1x Reflector
- 1x Target
- 1x Skirt Short
- 1x Light Shaping Tools Bag
- 1x Softcase


SUMOSPACE+ One Complete Kit 01-07-00-07






# LENSES

INTERCHANGEABLE LENSES FOR THE SUMOSPACE+  
SPRING LOCK MECHANISM



SUMOLIGHT offers a variety of special optics in order to provide a uniform illumination with almost constant light intensity over the entire angle of the beam with virtually no spill light. In this way an extremely homogeneous light distribution is achieved and stray light largely avoided. The light intensity can be increased for a certain area with these lenses and thus gives a long reach. The 20° Lens is 5 times brighter compared to no lens with 15.000 Lux [1 394 fc] at 3 m [10 ft].



## LENSES





Lenses for the SUMOSPACE+ system. The lenses are interchangeable and available for 3 different beam angles of 20°, 30° and 60°. 6 Lens plates are needed for one light.

	Lens Set (6 pk)
Dimension	0.7 x 20 x 18 cm
Weight 20° Lens Set	880 g
30° Lens Set	748 g
60° Lens Set	585 g

20° Lens Set (6x Lens Plates with Pouch) **01-02-01-03**

30° Lens Set (6x Lens Plates with Pouch) **01-02-01-01**

60° Lens Set (6x Lens Plates with Pouch) **01-02-01-02**



# LIGHT SHAPING TOOLS



## SUMOSPACE Light Shaping Tools Kit

The SUMOSPACE Light Shaping Tools Kit comprises all the light shaping tools for key, back, fill or soft lighting. All parts are foldable or can collapse resulting in a very small package and fast and easy setup.

The Soft Grid and the Black Skirts Cover can be combined with the Light Shaping Tools Kit and are available as optional accessories.

<b>Length</b>	95 cm (incl. Reflector)
<b>Diameter</b>	90 cm
<b>Weight</b>	1.5 kg

Light Shaping Tools Kit (1x Reflector, 1x Diffusion Skirt Short, 1x Target, 1x Light Shaping Tools Bag) **01-07-02-00**



## Skirts

The Diffusion Skirts are used for illuminating entire rooms with soft, even light by simply attaching the Skirt to the Reflector with the zippers. In addition, the Skirts are collapsible down to a third of the original size.

	Skirt Long	Skirt Long
<b>Length</b>	45 cm	90 cm
<b>Diameter</b>	90 cm	90 cm
<b>Weight</b>	330 g	392 g

Diffusion Skirt Short **01-02-03-03-ds-s**

Diffusion Skirt Long **01-02-03-03-ds-l**



## Target

The Full Diffusion Target is used as a Beauty Bank in combination with the Reflector or as a space light together with the Reflector and a Diffusion Skirt. The Full Diffusion Target is an extremely durable and lightweight fabric and can collapse to a third of the original size. It can be attached to the Reflector or Diffusion Skirts with a zipper.

<b>Diameter</b>	90 cm
<b>Weight</b>	287 g

Target Full Diffusion **01-02-03-03-t**



## Reflector

The Reflector is an open-faced light shaping tool that is highly reflective and easily attached to the fixture with its elastic straps. The Reflector is a multi-purpose product with the ability to attach other light shaping tools so that you can use for key, back, fill or soft lighting.

<b>Length</b>	40 cm
<b>Diameter</b>	90 cm
<b>Weight</b>	450 g

Reflector **01-02-03-03**



## Black Skirt Cover

The Black Skirt Covers come in half panels and are attached to our diffusion skirts with Velcro. These Black Skirt Covers act as a Gobo which provides more directional control of the light output from the fixture.

	Black Short Skirt	Black Long Skirt
<b>Dimension</b>	58 x 143 cm	102 x 143 cm
<b>Weight</b>	373 g	632 g


Short Black Skirt Set (2 x Half Panels) **01-07-02-05-s**

Long Black Skirt Set (2 x Half Panels) **01-07-02-05-l**

Short Skirt (1 x Half Panels) **01-02-03-03-bs-s**

Long Skirt (1 x Half Panels) **01-02-03-03-bs-l**





### SUMOSPACE Soft Grid 40°

The Soft Grid is a perfect complement to the SUMOSPACE Reflector, which directs the output and controls spill light. Reduces the near-to-far light ratio, which allows you to have more even lighting when a subject is moving towards or away from the light. It has a 40° cut off angle. It is attached easily to the Target and Reflector.

**Diameter** 90 cm  
**Weight** 240 g

SUMOSPACE Soft Grid 40

01-02-03-03-s



### Light Shaping Tools Bag

Ultralight bag for storing your SUMOSPACE Light shaping Tools.

**Dimension** 60 x 55 cm  
**Weight** 100 g

Light Shaping Tools Bag

01-02-03-00-b



### SUMODOME Pancake Lantern


Unfolds in seconds and attaches to the SUMOSPACE using the elastic loops to the six snap rubber corners on the fixture. Our design makes better use of the light while making it much easier to get the lantern up out of frame. The spring steel rods stay permanently in the lantern. There is no need to remove them for packing.

Use this low-profile lantern as a top light and a key light for casting semi-directional lighting overhead where space is limited.

**Dimension** 52 x 57 x 22 cm  
**Weight** 220 g

Sumo Dome Pancake Lantern and Bag

01-02-02-03



### Chimera OctaSpace Lightbanks

Chimera's patented OctaSpace Lightbank creates beautiful broad light while providing versatility. OctaSpace Lightbanks soft silver interiors create a highly efficient and even light spread with Sumolight's SUMOSPACE. OctaSpace Lightbanks require an OctaSpace "OP" Speed Ring and Mount Kit.

<b>Product</b>	OctaSpace 3	OctaSpace 5
<b>Diameter</b>	3 ft	5 ft
<b>Item #</b>	#6230	#6255

Available at Chimera

[www.chimeralighting.com](http://www.chimeralighting.com)

# CLASSIC SKIRTS

TIMESAVING  
PROVEN WORKFLOW

As an addition to the versatile Light Shaping Tools Kit, SUMOLIGHT is now offering the Diffusion Skirts without Reflector in the industry standard sizes of 90 x 84 cm (LxW) for Studios and projects where it is important to have the same appearance and workflow as i.e. legacy space lights.




## Light Shaping Tools Kit Classic

The kit comprises 1x Diffusion SkirtClassic, 1x Target Classic.

The Diffusion Skirt Classic is mounted directly to the SUMOSPACE fixture. No Reflector is required.

<b>Diameter</b>	84 cm	<b>Lenth</b>	90 cm
<b>Weight</b>	2.6 kg		

Light Shaping Tools Kit Classic 01-02-03-03-ds-c



## Diffusion Skirt Classic

Diffusion Skirt for the Light Shaping Tools Kit Classic. The Diffusion Skirt Classic is mounted directly to the SUMOSPACE fixture. No Reflector is required.

<b>Diameter</b>	84 cm	<b>Lenth</b>	90 cm
<b>Weight</b>	1.85 kg		

Diffusion Skirt Classic 01-02-03-03-ds-c




## Target Classic

Target for the Light Shaping Tools Kit Classic. To be used in combination with the Diffusion Skirt Classic.

<b>Diameter</b>	84 cm
<b>Weight</b>	760 g

Target Classic 01-02-03-03-tc



# SUPERMOUNT

QR joints – No screwing or tools required for rigging and derigging

The Super Mount system comprises of custom SUMOLIGHT components allowing you to combine multiple SUMOSPACE fixtures giving you the possibility to position them perfectly for the best coverage and reduction in shadowing. The Super Mount system and its components are manufactured out of high-quality aluminium, keeping the system lightweight and durable. The Super Mount can easily hang overhead from a truss, mount vertically on two conventional light

stands or suspend overhead with cranes or booms. The mounting possibilities are endless! Available only for SUMOSPACE fixtures. The Super 7 consists of 3 Super 3 Mounts that can be used individually allowing for a large variety of different setups. The new SUMOSPACE+ fixtures are equipped with a quick release mount on the back that allows a quick rigging and derigging of the whole Super mount System.

# SUPER7

## Super 7



Mount for 7 SUMOSPACE+ fixtures (3x Super 3 Mount, 1x Support Frame)


The Super 7 consists of 3 Super 3 Mounts that can also be used individually with the optional SUPERPin adapter or the SuperClamp. Allowing for a large variety of different setups.

<b>Dimension</b>	105 x 92 x 21 cm	(Mount only)
<b>Weight</b>	10.4 kg	

Super 7 for SUMOSPACE+

01-05-11-07





**SUPERPIN**

Super 3 Quick Release to 28 mm Junior Pin Adapter. For use with the Super 3 (01-05-11-03) only.

The SuperPin is necessary to mount the Super 3 to stands etc. if the Mount isn't used within the Super7 Mount.




**Weight** 180g

SUPERPIN 01-05-11-08

**SUPERCLAMP**

Super 3 Quick Release Pin to 2" Clamp Adapter. For use with the Super 3 (01-05-11-03) only.

The SuperClamp is necessary to mount the Super 3 to trusses and poles if the Mount isn't used within the Super7 Mount.



**Weight** 250 g

SUPERCLAMP 01-05-11-09



**Super 3**

With the Super 3 Mount it is possible to easily combine 3 SUMOSPACE+ fixtures to a powerful still compact light. Included is a SuperPin adapter with Junior Pin. Rigging to trusses and poles is possible with the optional SuperClamp adapter. Very fast and easy rigging and derigging through is possible the SUMOSNAP™ quick release connector that is integrated in the SUMOSPACE+ fixtures.

**Dimension** 55 x 34 x 15 cm (Mount only)  
**Weight** 2.7 kg



SUPER3 01-05-11-03

**Super 3, Junior Pin**

Optional version of the Super 3 Mount with fixed 28 mm Junior Pin. Mount for 3 SUMOSPACE fixtures.

**Dimension** 55 x 34 x 20 cm (Mount only)  
**Weight** 2.7 kg

SUPER3, Junior Pin 01-05-11-05



### SUMOSPACE Yoke

The SUMOSPACE Yoke is fixed at two points to the sides of the SUMOSPACE, providing an axis of rotation. The base of the Yoke has a 28 mm Junior Pin, providing a second axis of rotation. This allows the fixture to point nearly anywhere in a spherical range of motion encircling the yoke.

**Dimension** 38 x 67 cm  
**Weight** 1.3 kg

Yoke Mount with Jr. Pin

01-03-00-00




### Pole Operated Yoke

The Pole Operated Yoke allows to set the orientation of the light easily at the mounting position from the ground. Tilt and pan can be controlled through two color-coded cups.

**Dimension** 73 x 51 x 12,5 cm  
**Weight** 4.25 Kg

Pole Operated Yoke with Baby/Jr. Pin Adapter

01-03-01-00



### SUMOCLAMP

2" Clamp Adapter for SUMOSPACE+/ SUMOSNAP; Adapts to 2" 50mm Truss Poles.

Very fast and easy rigging and derigging is possible through the SUMOSNAP™ quick release connector that is integrated in all SUMOSPACE+ fixtures.

**Weight** 245 g

SUMOClamp for SUMOSPACE+

01-05-15-01



### SUMOPIN

Junior Pin adapter for SUMOSPACE+/ SUMOSNAP; Adapts to SUMOSNAP™ quick release mount.

Very fast and easy rigging and derigging is possible through the SUMOSNAP™ quick release connector that is integrated in all SUMOSPACE+ fixtures.

**Weight** 255 g

SUMOPin for SUMOSPACE+

01-05-15-02



### Hanger for SUMOSPACE

The Hanger can be used when the SUMOSPACE fixture is to be mounted horizontally e.g. as a space light.

**Length** 30 cm  
**Weight** 180 g

Hanger for SUMOSPACE

01-05-01-00



## SUMOSPACE Battery - Powered by SUMOLIGHT

The POWER PACK portable AC UPS is a robust system for all your power needs, it can provide power in most environments down to its IP54 Capability and its robust design for shock and vibration.

The smallest 1.0 kWh version powers one SUMOSPACE+ for 2hrs at 100% output.

- 1.0; 2.0 and 3.0 kWh PORTABLE Battery for the SUMOSPACE system.
- 2 Hour s Autonomy @ 500W LOAD for the smallest version.
- OUTPUT VOLTAGE: 230VAC 50Hz
- Max power Output 500W
- Up to 2 units in Parallel Operation
- Charger integrated, Charge time <12 Hrs.
- Can be used as Uninterruptible power supply for various other equipment.
- Maximum surrounding air temperature: 65°C.

	1.0 kWh	2.0 kWh	3.0 kWh
<b>Dimension</b>	470 x 357 x 176mm	555 x 258 x 445mm	555 x 258 x 445mm
<b>Weight</b>	11 Kg	16,15 Kg	25,5 Kg

SUMOSPACE Power Pack 1.0 kWh	<b>01-05-13-00</b>
SUMOSPACE Power Pack 2.0 kWh	<b>01-05-13-20</b>
SUMOSPACE Power Pack 3.0 kWh	<b>01-05-13-30</b>

## Power Cables

High quality rubber extension cables. Power Plug to powerCON TRUE1 TOP 7,5m

	Length	Weight	
	7.5 m		
	1.2 Kg	290 g	
AC Power Cord (EU Plug to power CON TRUE1 7,5m)			<b>99-04-7.5</b>
AC Power Cord (UK Plug to power CON TRUE1 7,5m)			<b>99-05-7.5</b>
AC Power Cord (US Plug to power CON TRUE1 7,5m)			<b>99-06-7.5</b>

## Daisy Chain Cables

High quality rubber extension cables. The Daisy Chain Power Cable simplifies the setup. Depending on the mains voltage up to 7 fixtures can be daisy chained.

Daisy Chain Cable 1,5 m (powerCON TRUE1 TOP Male to Female)

	Length	Weight	
	1.5 m		
	290 g		
SUMOSPACE+ Daisy Chain Cable 1,5 m			<b>99-10-1.5</b>



## SUMOSPACE Kit Bag

The SUMOSPACE Kit Bag provides comprehensive protection. The outer shell is made of strong and durable Cotextil. Shock absorption and stability is provided by Triplex reinforced Foam inlays. The shoulder pad and carry straps are made of genuine leather.

The complete lighting Kit with all accessories fits inside the case. The Yoke Mount can stay attached to the fixture.

<b>Dimension</b>	75 x 62 x 28 cm
<b>Weight</b>	4,8 Kg

Softcase for SUMOSPACE	<b>01-05-08-01</b>
------------------------	--------------------



## SUMOSPACE Bulk Case

The SUMOSPACE BULK Case is a very lightweight and robust case for 12x SUMOSPACE heads with cables. Origin of material and construction is in the automotive industry, where it has been in use for its effectivity and durability.

<b>Dimension</b>	120 x 800 x 110 cm
<b>Weight</b>	45 kg

SUMOSPACE BULK Case	<b>01-05-08-03</b>
---------------------	--------------------



**SUMOLIGHT**  
MADE IN GERMANY



**SUMOLIGHT GMBH / HEADQUARTER**  
BERLIN  
+49 30 3389 2987

**SUMOLIGHT USA, INC**  
LOS ANGELES  
+1 310 729 5339

**SUMOLIGHT UK LTD.**  
LONDON  
+44 7877 726649



SUMOLIGHT.COM

