

VELVET Light 2x2 Studio IP51

Ref.: VL2x2ST

Datasheet: June 2021 / Page 1



Bicolor dustproof AC powered soft light LED panels

[Click here for more product information](#)



1. Power switch
2. XLR-3 DC In
3. XLR-5 DMX Out
4. +/- Adjustment buttons
5. 3200K / 5600K Quick access button
6. Mode selection button (Dimmer / Colour Temperature)
7. Digital display
8. XLR-5 DMX In



VELVET Light 2x2 Studio IP51




Ref.: VL2x2ST

Datasheet: June 2021 / Page 2

COLOUR TEMPERATURE	adjustable from 2700K to 6500K in 100K steps
LIGHT INTENSITY	dimnable 0 to 100, smooth and flicker-free
TLCI	94 at 3200K and 97 at 5600K
DIMENSIONS	670x620x68mm / 26"x24,5"x2.7" panel 690x750x125mm / 27"x29,5"x5" panel + yoke
WEIGHT	12 kg / 26.5 lbs panel 14 kg / 30 lbs panel + yoke
POWER DRAW	290W (11 Amps at 26 VDC – 1.26 Amps at 230VAC)
POWER SUPPLY	26-28V DC 90-264V AC 50/60Hz
PHOTOMETRICS	8000 lux / 740 fc at 1m / 3 feet 1000 lux / 93 fc at 3m / 10 feet 300 lux / 33 fc at 6m / 20 feet
OUTPUT FREQUENCY	2000 fps
BEAM ANGLE	100°
LED RATED LIFE	more than 50.000 hours
COOLING	no-noise, fan-free passive cooling
PROTECTION	IP51 dustproof, indoor or outdoor protected use
CONSTRUCTION & FINISH	Made of black powdercoated extruded and sheet aluminum
VELVET LED TECHNOLOGY	Selected BIN LED + optic diffuser + CPU software control
ACCESSORIES	AC power supply, power extension cable, remote control, foldable Snapgrid 40° or 20°, foldable Snapbag,removable barn doors, hard case
RIGGING OPTIONS	aluminum yoke with 28mm junior pin, multiple ¼-20" rigging points, multipanels yokes, pole operated yoke

WIRE VIEW






VELVET Light 2x2 Studio IP51




Ref.: VL2x2ST

Datasheet: June 2021 / Page 3

PHOTOMETRICS



CCT 3270K



CCT 5740K

















VELVET Light 2x2 Studio IP51



Ref.: VL2x2ST

Datasheet: June 2021 / Page 4

ACCESSORIES

POWER SUPPLY	RIGGING		TRANSPORT
 VL2x2ST-PSU	 VL2X2-YPO	 VL2X2-YD	 VL2x2-CASE
BEAM CONTROL			
 VL2x2-RB	 VL2x2-SG	 VL2x2-SG20	 VL2X2-SB
 VL2X2-SGXSB	 VL2X2-SPACEKIT	 VL2x2-H	 VL2x2-SLOTKIT
 2X2-RABBITSQ	 OCTA-SBR05	 OCTA-SBR07	REMOTE CONTROL
			 VL-RC